Adapted Version of Koenig and Holbrook's Sensory Channel Form

(from Learning Media Assessment of Students with Visual Impairments, 1995, Texas School for the Blind)

V = visual; T = tactile; A = auditory; M = movement; S = smell

Behavior Observation #6	V	Т	Α	M	S	
Behavior Observation #6	V	Т	Α	M	S	
Behavior Observation #6	V	Т	Α	M	S	
Behavior Observation #6	V	Т	Α	M	S	
Rehavior Observation #6	V	т	Δ	M	S	
Rehavior Observation #6	V	т	٨	NA	c	
Rehavior Observation #6	V	т	Δ	M	S	
Behavior Observation #6	V	Т	Α	M	S	
Behavior Observation #6	V	Т	Α	M	S	
Benavior Observation #6	V	ı	А	IVI	5	
Behavior Observation #7	V	Т	Α	M	S	
Benavior Observation #7	V	ı	А	IVI	3	
Behavior Observation #8	V	Т	Α	M	S	
Deliavior Observation #0	V	•		IVI	3	
Behavior Observation #9	V	Т	Α	M	S	
Bollaviol Obcolvation no	v	•	,,		Ü	
Behavior Observation #10	V	Т	Α	M	S	
Deboodes						
Behavior	Sensory Avenue(s) Utilized					

Adapted Version of Koenig and Holbrook's Sensory Channel Form

(from Learning Media Assessment of Students with Visual Impairments, 1995, Texas School for the Blind)

V = visual; T = tactile; A = auditory; M = movement; S = smell

Behavior Observation #11	V	Т	Α	M	S
Behavior Observation #12	V	Т	Α	M	S
Behavior Observation #13	V	Т	Α	M	S
What calms the child? (describe)	V	Т	Α	M	S
What alerts the child? (describe)	V	Т	Α	M	S
What stresses the child? (describe)	V	Т	Α	M	S
What overloads the child? (describe)	V	Т	Α	M	S
What are the child's favorite toys? (describe)	V	Т	Α	M	S
What activities does the child anticipate? (describe)	V	Т	Α	M	S
What motivates the child to move? (describe)	V	Т	Α	M	S
Other:	V	Т	Α	M	S

Summary of Results:

Adapted Version of Koenig and Holbrook's Sensory Channel Form

(from Learning Media Assessment of Students with Visual Impairments, 1995, Texas School for the Blind)

V = visual; T = tactile; A = auditory; M = movement; S = smell

Primary Learning Channel:	
Secondary Learning Channel:	
Key Observations:	
Next Step Recommendations:	